

Section view


3D view


PVC	A (mm)	B (mm)	C (mm)	D (mm)	Thickness (mm)	Flowrate (I/s) *
50mm	300	43	50	330	3.5	1
56mm	300	49	56	330	3.5	1.2
63mm	300	56	63	330	3.5	1.6
75mm	300	69	75	330	3.5	2.1
90mm	385	83	90	330	3.5	2.5
95mm	385	89	95	330	3.5	2.7
110mm	385	103	110	330	3.5	3
125mm	385	118	125	330	3.5	3.5
140mm	385	133	140	330	3.5	3.9
160mm	385	153	160	330	3.5	4.4

*at 35mm head of water

Key:

- A Base Plate
- B Internal Diameter
- C External Diameter
- D Spigot Length





Excellence in Polymer Technology
A member of the IKO Group

Coney Green Road Clay Cross Chesterfield S45 9HZ Main Tel: 01257 488000
Technical: 01257 488012
Email: polymeric.technical.uk@iko.com
Web: www.ikopolymeric.com

DRAWING TITLE:

PVC VERTICAL OUTLET - Technical Info

DRAWING NO:

ASM-6aa

REVISION:

B

DATE: DRAWN BY: SCALE: NTS

Waterproofing should be installed in accordance with BS 8000: Part 4:1989, BS 6229:2003 and IKO Polymeric fixing instructions.

Only published current standard details are included in any IKO Polymeric guarantee that covers design liability. Any amendments to these details must be reviewed and approved in writing by the IKO Polymeric Technical Services Department. Data sheets for all IKO Polymeric and IKO PLC products are available on request. Project specifications are available on request. Further information on all IKO Polymeric products and services as well as IKO PLC products can be obtained through the contact details printed below.